

Editorial: Innovative Methods in Social Robot Behavior Generation

Hifza Javed^{1,*}, Jauwairia Nasir², Antonio Andriella³, WonHyong Lee⁴ and Mohamed Chetouani⁵

¹*Honda Research Institute USA, San Jose, CA, USA*

²*University of Augsburg, Augsburg, Germany*

³*Institut de Robòtica i Informàtica Industrial (CSIC-UPC), Llorens i Artigas 4-6, 08028, Barcelona, Spain*

⁴*Handong Global University, Pohang, South Korea*

⁵*Sorbonne Universités, Paris, France*

Correspondence*:

Hifza Javed

hifzajaved1@gmail.com

1 INTRODUCTION

As social robots become increasingly embedded in our homes, workplaces, and educational settings, the demand for more intuitive, adaptive, and socially aware behavior generation has never been greater. Traditional approaches to robot behavior generation, such as Wizard-of-Oz and rule-based methods, have proven insufficient for achieving the fluidity and nuance that are required to meet the needs of human social interaction. The next generation of social robots have to move beyond scripted exchanges to dynamically generate, adapt, and personalize their behaviors in real time, responding to multimodal cues and evolving social contexts.

This research topic “Innovative Methods in Social Robot Behavior Generation” was conceived to address this challenge. It brings together contributions that push the boundaries of how social robots perceive, plan, and act in ways that are meaningful, relevant, and “natural”. The selected works span technical innovations, empirical field studies, and a systematic analysis towards the shared goal of creating autonomous robotic systems capable of engaging humans through meaningful and contextually appropriate behaviors.

The five articles in this collection collectively advance three core themes:

1. **Generative Modeling Approaches:** the integration of generative models, including LLMs, to enable open-ended, adaptive, and socially coherent robot interactions,
2. **User Perception of Robot Behaviors:** the investigation of how users perceive, interpret, and evaluate robot behaviors across diverse social and contextual settings, and
3. **Autonomy in Social Robots:** the development of autonomous systems that support ethical, context-aware social engagement.

2 GENERATIVE MODELING APPROACHES

As large language models (LLMs) become increasingly integrated into social robots, understanding how users respond to them over repeated interactions is crucial. Mauliana et al. (2025) explore this, in their

23 paper *Exploring LLM-Powered Multi-Session Human-Robot Interactions with University Students*, through
24 multi-session engagements between university students and EMAH, an LLM-powered humanoid robot
25 designed for open-domain conversation. Across four weeks, the study found that while robot's sociability,
26 agency, and engagement remained stable, users perceived the robot as more lifelike over time without
27 reduced discomfort. Despite occasional technical issues, sustained engagement highlighted the promise of
28 compact, locally deployed LLMs for long-term interaction. The work underscores the need for improved
29 robustness, personalization, and expectation management to support lasting social relationships with robots.

30 Additionally, Galatolo and Winkle (2025) propose an efficient multimodal behavior generation framework
31 that addresses computational and ethical challenges in deploying social robots in low-resource or privacy-
32 sensitive environments. Their work, *Simultaneous Text and Gesture Generation for Social Robots with*
33 *Small Language Models*, introduces “gesture heads”—lightweight neural modules appended to the language
34 model that operate in parallel with its text generation head to predict communicative intents, abstract
35 representations of non-verbal behavior such as gestures or facial expressions, which can be mapped to
36 platform-specific expressions. Comparing multiple strategies including In-Context Learning, Chain-of-
37 Thought reasoning, and their proposed Gesture Head across LLaMA 3 models from 1B to 70B parameters,
38 the authors show that their approach achieves strong accuracy and efficiency while maintaining real-
39 time feasibility on Furhat and Pepper robots. The study advances the technical frontier of simultaneous
40 text–gesture generation and highlights how small, open models can enable sustainable, ethical, and
41 contextually coherent social robot interaction.

42 Finally, Shen and Johal (2025) present a culturally grounded diffusion-based framework for co-speech
43 gesture generation that advances the field beyond culturally “neutral” gesture models. Their work, *TED-
44 Culture: Culturally Inclusive Co-Speech Gesture Generation for Embodied Social Agents*, introduces
45 the TED-Culture Dataset, a multilingual corpus spanning six languages (Indonesian, Japanese, German,
46 Italian, French, and Turkish) with 17.5 hours of 3D pose data from 183 speakers, specifically designed
47 to capture culturally shaped gesture patterns. Building on this dataset, the authors develop DiffCulture, a
48 Stable Diffusion–inspired generative model that maps speech audio and initial body poses to culturally
49 coherent gesture sequences. The model achieves state-of-the-art performance on both the TED-Expressive
50 and TED-Culture benchmarks, and is further validated on a NAO humanoid robot. This work demonstrates
51 that culturally attuned gesture generation is both technically feasible and represents a key step toward more
52 inclusive generative AI.

3 USER PERCEPTION OF ROBOT BEHAVIORS

53 In their paper *A field study to explore user experiences with Socially Assistive Robots (SARs) for*
54 *older adults: emphasizing the need for more interactivity and personalisation*, Hofstede et al. (2025)
55 present a comprehensive, multi-country field study examining how older adults, formal caregivers,
56 and informal caregivers experience and evaluate Socially Assistive Robots in real home settings.
57 Building on the Guardian project, the authors deployed the Misty II and Lizz robots, connected to
58 caregiver and senior apps in households across Italy, Switzerland, and the Netherlands to explore how
59 design factors such as personalization, interactivity, embodiment, and ethical considerations shape user
60 experience. Through thematic analysis of interviews with 90 participants, six interrelated design factors
61 emerged: personalization, interactivity, embodiment, ethical considerations, connectedness, and dignity.
62 Personalization and interactivity were identified as the most influential, underscoring that end-users value
63 adaptive communication, natural responsiveness, and contextual relevance over novelty or complexity. The
64 findings highlight how human-centered, field-based evaluation can reveal social, ethical, and emotional

65 dynamics often overlooked in laboratory research. This work situates user perception as a cornerstone for
66 designing socially intelligent robots, demonstrating that meaningful, acceptable, and sustainable robot
67 behavior generation must emerge from authentic engagement with users' lived experiences.

4 AUTONOMY IN SOCIAL ROBOTS

68 In *Autonomy in Socially Assistive Robotics: A Systematic Review*, Maure and Bruno (2025) provide
69 a systematic, PRISMA-based review of the past five years of Socially Assistive Robotics research,
70 focusing on how varying levels of autonomy are achieved, communicated, and evaluated in human-robot
71 interaction. Analyzing 70 studies across major HRI venues, they map the technological and methodological
72 trends defining autonomous SARs, detailing how sensing, reasoning, and actuation capabilities are
73 distributed between human operators and robotic systems. Their results reveal a dominance of short-term,
74 dyadic studies using humanoid robots with partial autonomy, and highlight persistent gaps in multimodal
75 perception, speech understanding, and transparency regarding autonomous functions. The review argues
76 that autonomy in SARs is not merely a technical goal but a social and ethical challenge. By proposing the
77 concept of Physically and Socially Assistive Robots, i.e., robots that fully leverage their embodiment, as
78 well as social intelligence, the authors outline a path toward systems capable of adaptive, context-aware
79 assistance in real-world environments, reinforcing autonomy as a cornerstone of next-generation social
80 robot behavior generation.

5 CONCLUSION

81 This Research Topic demonstrates that advancing beyond scripted or rule-based paradigms requires both
82 technical innovation and human-centered insight. The contributions collectively show how generative
83 models, multimodal perception, and culturally grounded frameworks can enable social robots to act in
84 ways that are adaptive, expressive, and ethically aligned. By combining novel behavior generation methods
85 with sustained user engagement and systematic analysis of autonomy, these works lay the groundwork for
86 more intuitive and contextually aware robotic systems that can truly participate in human social life.

87 Yet, important challenges remain. Ensuring robustness in real-world settings, maintaining transparency
88 in generative processes, and achieving inclusivity across diverse users and cultures are essential next steps.
89 Future research should deepen the integration of perception, generation, and ethics while establishing
90 shared evaluation standards.

AUTHOR CONTRIBUTIONS

91 HJ: Writing – original draft, Writing – review and editing. JN: Writing – original draft, Writing – review
92 and editing. AA: Writing – original draft, Writing – review and editing. WHL: Writing – original draft,
93 Writing – review and editing. MC: Writing – original draft, Writing – review and editing.